


Figures

FD-204 (Rev. 10-6-95)

**FIG. 1A**




FIG. 1B




FIG. 2A

4/11




FIG. 2B





FIG. 3A

**FIG. 3B**




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

FIGURE 9

Table 1

Example	Sr pyro-phosphate	Ca(PO ₃) ₂ Cl:Eu ²⁺ , Mn ²⁺	SAE	MFG	BaMgAl ₁₆ O ₂₇ :Eu ²⁺ , Mn ²⁺	Sr ₃ (PO ₃) ₂ Cl:Eu ²⁺ or Ba ₂ MgAl ₁₆ O ₂₇ :Eu ²⁺	CT (K)	CRI	Lumino-sity (L/W _{rad})	Distance from black body locus
1	0.724	0	0	0	0.185	0.091	4100	73	355.13	0.03
2	0.798	0	0.045	0.014	0.113	0.030	3500	70	360.83	0.03
3	0.778	0	0	0.023	0.106	0.093	3500	70	343.06	0.003
4	0.678	0	0.065	0.099	0.086	0.072	3500	80	321.28	0.003
5	0.658	0	0.056	0.047	0.123	0.116	4100	80	322.84	0.003
6	0	0.706	0	0.044	0.180	0.071	4100	80	343.37	0.003
7	0	0.759	0	0	0.070	0.171	4100	75	354.83	0.003
8	0	0.763	0	0.001	0.220	0.016	4100	75	373.80	0.03
9	0	0.787	0	0.056	0.156	0	3500	75	359.21	0.01
10	0	0.732	0	0.100	0.168	0	3500	80	348.26	0.011
11	0.632	0	0.095	0.133	0.075	0.0645	3500	85	310.79	0.002
12	0	0.676	0	0.140	0.162	0.022	3500	85	330.80	0.002
13	0.613	0	0.089	0.083	0.102	0.113	4100	85	312.04	0.002
14	0	0.654	0	0.086	0.186	0.074	4100	85	331.51	0.002
15	0.590	0	0.125	0.164	0.650	0.055	3500	90	301.47	0.002
16	0	0.628	0	0.178	0.170	0.0242	3500	90	320.47	0.002
17	0.570	0	0.122	0.117	0.090	0.101	4100	90	302.45	0.002
18	0	0.606	0	0.127	0.193	0.075	4100	90	320.98	0.002
19	0.530	0	0.15	0.150	0.080	0.090	4100	95	293.39	0.002
20	0	0.560	0	0.166	0.200	0.075	4100	95	310.84	0.002